Version 1.3	Revision Date: 02/10/2015		SDS Number: 431-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014
SECTION	1. IDENTIFICATION			
Produ	ct name	:	PRIME SOURCE	® Pink Lotion Foaming Hand Soap
Produ	ct code	:	75004236; 75004	239
	facturer or supplier's	deta		
Comp	any name of supplier	:	PRIME SOURCE	, LLC
Addre	SS	:	One City Place D St. Louis MO 631	rive, Suite 200 41
Telepł	none	:	314-997-5959	
Emerg	Emergency telephone		800-424-9300	
Recor	Recommended use of the o		nical and restriction	ons on use
Recon	nmended use	:	Skin-care	
Restrie	ctions on use	:	consumers and o foreseeable use. specifically define exempt from the r While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and of intended-use guid	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, d by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large hould be retained and available for ther users of this product. For specific lance, please refer to the information ackage or instruction sheet.

## SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.

/ersion 1.3	Revision Date: 02/10/2015	MSDS Number: 31431-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014
Preca	autionary Statements	P280 Wear eye Response: P305 + P351 + for several min to do. Continue	in thoroughly after handling. e protection/ face protection. • P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy e rinsing. • eye irritation persists: Get medical advice/
Otho	r bozarde		

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture

Substance / Mixture

## Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	>= 1 - < 5
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,

Vers 1.3	sion	Revision Date: 02/10/2015		SDS Number: 431-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014
					nmended personal protective equipment I for exposure exists.
	Notes t	o physician	:	Treat symptomati	cally and supportively.
SEC	TION 5	. FIRE-FIGHTING ME	ASL	IRES	
	Suitabl	e extinguishing media	:	Water spray Alcohol-resistant f Dry chemical Carbon dioxide (C	
	Unsuitable extinguishing media		:	None known.	
	Specific fighting	c hazards during fire	:	Exposure to comb	oustion products may be a hazard to health.
	Hazard ucts	ous combustion prod-	:	Sulfur oxides Carbon oxides Metal oxides Nitrogen oxides (I	NOx)
	Specific method	c extinguishing Is	:	circumstances an Use water spray t	measures that are appropriate to local d the surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
		l protective equipment fighters	:		e, wear self-contained breathing apparatus. rective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

Version	Revision Date:	MSDS Number:	Date of last issue: 01/02/2015
1.3	02/10/2015	31431-00004	Date of first issue: 11/24/2014
		absorbent. Local or national disposal of this r employed in the determine which Sections 13 and	ing materials from spill with suitable I regulations may apply to releases and material, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding mational requirements.

## SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	<ul> <li>Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.</li> </ul>
Conditions for safe storage	: Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

## Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

Engineering	measures
-------------	----------

: Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

### Personal protective equipment

Respiratory protection	: No personal respiratory protective equipment normally
	required.

Version 1.3	Revision Date: 02/10/2015	MSDS Number: 31431-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014		
Hand protection Material		: Impervious gl	: Impervious gloves		
Remarks		on the concer time is not de For special ap resistance to gloves with th	: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.		
Eye protection			Wear the following personal protective equipment: Safety goggles		
Skin and body protection		resistance da potential. Skin contact r	riate protective clothing based on chemical ta and an assessment of the local exposure nust be avoided by using impervious protective es, aprons, boots, etc).		
Hygiene measures		located close When using d	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.		

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, light pink
Odor	: fruity
Odor Threshold	: No data available
рН	: 4.7 - 6.2
Melting point/freezing point	: No data available
Solidification / Setting point	2.40 °C
Initial boiling point and boiling range	: 98.00 °C
Flash point	: >100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available

Version 1.3	Revision Date: 02/10/2015	MSDS Number: 31431-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014		
Low	er explosion limit	: No data availab	le		
Vap	or pressure	: No data availab	le		
Rela	ative vapor density	: No data availab	: No data available		
Der	sity	: 1.00 g/cm3	: 1.00 g/cm3		
	ubility(ies) Vater solubility	: soluble			
Partition coefficient: n- octanol/water		: Not applicable			
Auto	oignition temperature	: No data available			
Dec	composition temperature	: The substance	or mixture is not classified self-reactive.		
	cosity 'iscosity, kinematic	: 10 - 20 mm2/s (	(20 °C)		
Exp	losive properties	: Not explosive			
Oxidizing properties		: The substance	or mixture is not classified as oxidizing.		

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Version 1.3	Revision Date: 02/10/2015	MSDS Numbe 31431-00004	r: Date of last issue: 01/02/2015 Date of first issue: 11/24/2014					
Not classified based on available information.								
Ingred								
	Alcohols, C10-16, ethoxylated, sulfates, sodium salts:         Acute oral toxicity       : LD50 (Rat): > 2,000 mg/kg         Assessment: The substance or mixture has no acute oral toxicity							
	midopropyl betaine: oral toxicity	: LD50: > 5,	000 mg/kg					
			ECD Test Guideline 401 Based on data from similar materials					
Acute	dermal toxicity	Method: O Assessme toxicity	): > 2,000 mg/kg ECD Test Guideline 402 nt: The substance or mixture has no acute dermal Based on data from similar materials					

### Skin corrosion/irritation

Not classified based on available information.

### Product:

Result: No skin irritation

#### Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Result: Irritation to eyes, reversing within 21 days

#### Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

### Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

### Product:

Assessment: Does not cause skin sensitization.

1.3         02/10/2015         31431-00004         Date of fit	Version	Revision Date: 02/10/2015	MSDS Number: 31431-00004	Date of last
--	---------	------------------------------	-----------------------------	--------------

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

## Ingredients:

**Cocoamidopropyl betaine:** Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

Ingredients:	
<b>Cocoamidopropyl betaine:</b> Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	<ul> <li>Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)</li> <li>Species: Mouse</li> <li>Application Route: Ingestion</li> <li>Result: negative</li> <li>Remarks: Based on data from similar materials</li> </ul>
Carcinogenicity	
Not classified based on availab	
IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity	
Not classified based on availab	le information.
Ingredients:	
<b>Cocoamidopropyl betaine:</b> Effects on fetal development	<ul> <li>Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials</li> </ul>

Version	Revision Date:	MSDS Number:	Date of last is
1.3	02/10/2015	31431-00004	Date of first is

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### **Repeated dose toxicity**

### Ingredients:

**Cocoamidopropyl betaine:** Species: Rat NOAEL: 250 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

### Ingredients:

Cocoamidopropyl betaine:		
Toxicity to fish	:	LC50: > 1 - 10 mg/l Exposure time: 96 h Method: ISO 7346/2 Remarks: Based on data from similar materials
Toxicity to bacteria	:	EC50: > 100 mg/l Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Persistence and degradability	y	
Product:		
Biodegradability	:	Result: Biodegradable
Ingredients:		
Alcohols, C10-16, ethoxylated		
Biodegradability	:	Result: Readily biodegradable.
<b>Cocoamidopropyl betaine:</b> Biodegradability	:	Result: Readily biodegradable. Biodegradation: > 60 % Exposure time: 28 d Method: OECD Test Guideline 301 Remarks: Based on data from similar materials

Version	Revision Date:	MSDS Number:	Date of last issue: 01/02/2015	
1.3	02/10/2015	31431-00004	Date of first issue: 11/24/2014	
Piece	cumulativo potontia			

Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation

UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 311/312 Hazards : Acute Health Hazard

Version 1.3	Revision Date: 02/10/2015	MSDS Number: 31431-00004	Date of last issue: 01/02/2 Date of first issue: 11/24/2		
SAR	A 302		his material are subject to t ARA Title III, Section 302.	he reporting	
SAR	A 313	known CAS numb	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
US S	tate Regulations				
Penn	sylvania Right To Kn	ow			
	Water		7732-18-5	90 - 100 %	
New	Jersey Right To Kno	N			
	Water		7732-18-5	90 - 100 %	
	Alcohols, C sodium sal	10-16, ethoxylated, sulfats	ates, 68585-34-2	1 - 5 %	
	Cocoamido	propyl betaine	61789-40-0	1 - 5 %	
Califo	ornia Prop 65		s not contain any chemicals a to cause cancer, birth, or a cts.		
The i	narodiants of this pr	duct are reported in th	o following inventories:		

### The ingredients of this product are reported in the following inventories:


AICS : All ingredients listed or exempt.

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

### **Further information**



Version 1.3	Revision Date: 02/10/2015	MSDS Number: 31431-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014
Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/			
Revision Date		: 02/10/2015	
forma ance shall r ed rel when	tion and belief at the da for safe handling, use, not be considered a wa ates only to the specific the SDS material is us	ate of its publication. T processing, storage, to rranty or quality species material identified at an combination with	t is correct to the best of our knowledge, in- The information is designed only as a guid- ransportation, disposal and release and fication of any type. The information provid- the top of this SDS and may not be valid of any other materials or in any process, un- view the information and recommendations

less specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8