

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: ULTRA LIME-A-WAY NP
Other means of identification	: Not applicable
Recommended use	: Cleaning product
Restrictions on use	: Reserved for industrial and professional use.
Product dilution information	: 0.85 % - 1.7 %
Company	: Ecolab Inc. 370 N. Wabasha Street St. Paul, Minnesota USA 55102 1-800-352-5326
Emergency health information	: 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)
Issuing date	: 07/24/2015
SECTION 2. HAZARDS IDEN	IFICATION
GHS Classification Product AS SOLD Skin corrosion Serious eye damage	: Category 1A : Category 1
Product AT USE DILUTION Skin corrosion Serious eye damage	: Category 1A : Category 1
GHS Label element	
Product AS SOLD Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: Causes severe skin burns and eye damage.
Precautionary Statements	 Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

	Storage: Store loc Disposa Dispose	ked up.
Product AT USE DILUTION Hazard pictograms		N
Signal Word	Danger	
Hazard Statements	Causes s	severe skin burns and eye damage.
Precautionary Statements	protective Response IF SWAL (or hair): with wate comforta doctor/ p minutes. rinsing. In Wash co Storage: Store loc Disposa	in thoroughly after handling. Wear protective gloves/ e clothing/ eye protection/ face protection. Se: LOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN Take off immediately all contaminated clothing. Rinse skin er/shower. IF INHALED: Remove person to fresh air and keep ble for breathing. Immediately call a POISON CENTER or hysician. IF IN EYES: Rinse cautiously with water for several Remove contact lenses, if present and easy to do. Continue mmediately call a POISON CENTER or doctor/ physician. ntaminated clothing before reuse.
Product AS SOLD Other hazards	Do not m chlorine	ix with bleach or other chlorinated products – will cause gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD Pure substance/mixture : Mixture		
Chemical Name nitric acid citric acid oxirane, methyl-, polymer with oxirane	CAS-No. 7697-37-2 77-92-9 9003-11-6	Concentration (%) 10 - 30 5 - 10 1 - 5
Product AT USE DILUTION		
No hazardous ingredients		

SECTION 4. FIRST AID MEASURES	

Product AS SOLD In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. Use

		a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	:	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	:	Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	:	If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	:	Treat symptomatically.
Most important symptoms and effects, both acute and delayed	:	See Section 11 for more detailed information on health effects and symptoms.
Product AT USE DILUTION In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	:	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	:	Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Not flammable or combustible.
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	:	Use personal protective equipment.
Specific extinguishing methods	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
Product AT USE DILUTION Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND	STORAGE
Product AS SOLD Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions for safe storage	: Keep away from strong bases. Keep out of reach of children. Store in suitable labeled containers.
Storage temperature	: 5 °C to 50 °C
Product AT USE DILUTION Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.
Conditions for safe storage	: Keep away from strong bases. Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
nitric acid	7697-37-2	TWA	2 ppm	ACGIH
		STEL	4 ppm	ACGIH
		STEL	4 ppm 10 mg/m3	NIOSH REL
		TWA	2 ppm 5 mg/m3	NIOSH REL
		TWA	2 ppm 5 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection	:	Wear eye protection/ face protection.
Hand protection	:	Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	:	Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	:	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Product AT USE DILUTION		
Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Personal protective equipme	ent	
Eye protection	:	Wear eye protection/ face protection.
Hand protection	:	Wear the following personal protective equipment: Standard glove type.
		Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	:	Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	:	When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

		Product AS SOLD
Appearance	:	liquid
Color	:	cloudy, dark green
Odor	:	odorless
рН	:	1.0, 100 %
Flash point	:	Not applicable
Odor Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.1 - 1.26
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Molecular weight	:	No data available
VOC	:	No data available

Product AT USE DILUTION liquid

light green odorless

0.9 - 1.7

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	:	None known.
Incompatible materials	:	Bases Metals Organic materials

Hazardous decomposition		Decomposition products may include the following materials:
products		Carbon oxides
		Nitrogen oxides (NOx)
		Sulfur oxides
		Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact exposure

Potential Health Effects

Product AS SOLD Eyes	Causes s	serious eye damage.
Skin	Causes s	evere skin burns.
Ingestion	Causes o	ligestive tract burns.
Inhalation	May caus	se nose, throat, and lung irritation.
Chronic Exposure	Health in	juries are not known or expected under normal use.
Product AT USE DILUTION Eyes	Causes s	serious eye damage.
Skin	Causes s	severe skin burns.
Ingestion	Causes of	ligestive tract burns.
Inhalation	May cau	se nose, throat, and lung irritation.
Chronic Exposure	Health in	juries are not known or expected under normal use.
Experience with human expo	re	
Product AS SOLD Eye contact	Redness	, Pain, Corrosion
Skin contact	Redness	, Pain, Corrosion
Ingestion	Corrosio	n, Abdominal pain
Inhalation	Respirate	bry irritation, Cough
Product AT USE DILUTION Eye contact	Redness	, Pain, Corrosion
Skin contact	Redness	, Pain, Corrosion
Ingestion	Corrosio	n, Abdominal pain
Inhalation	Respirate	bry irritation, Cough

Toxicity

Product AS SOLD

Acute oral toxicity	: No data available
Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 40 mg/l
Acute dermal toxicity	: No data available
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available
Ingredients	
Acute oral toxicity	: citric acid LD50 Rat: 11,700 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity		
Environmental Effects	:	This product has no known ecotoxicological effects.
Product		
Toxicity to fish	:	No data available
Toxicity to daphnia and other aquatic invertebrates	:	No data available
Toxicity to algae	:	No data available
Ingredients		
Toxicity to fish	:	nitric acid 96 h LC50: 72 mg/l
		citric acid 96 h LC50 Fish: > 100 mg/l
		oxirane, methyl-, polymer with oxirane 96 h LC50 Fish: > 100 mg/l
Persistence and degradability	ty	
No data available		
Bioaccumulative potential		
No data available		
Mobility in soil		

No data available

Other adverse effects

No data available

SECTION 13. DISPUSAL COI	13101	SECTION 13. DISPOSAL CONSIDERATIONS			
Product AS SOLD Disposal methods	re	Vhere possible recycling is preferred to disposal or incineration. If ecycling is not practicable, dispose of in compliance with local egulations. Dispose of wastes in an approved waste disposal facility.			
Disposal considerations	a u	Dispose of as unused product. Empty containers should be taken to n approved waste handling site for recycling or disposal. Do not re- se empty containers. Dispose of in accordance with local, state, and ederal regulations.			
RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste	: D	0002 (Corrosive)			
Product AT USE DILUTION Disposal methods	re	Vhere possible recycling is preferred to disposal or incineration. If ecycling is not practicable, dispose of in compliance with local egulations. Dispose of wastes in an approved waste disposal facility.			
Disposal considerations	a u	Dispose of as unused product. Empty containers should be taken to n approved waste handling site for recycling or disposal. Do not re- se empty containers. Dispose of in accordance with local, state, and ederal regulations.			

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number	:	2031
Description of the goods	:	Nitric acid
Class	:	8
Packing group	:	II
Environmentally hazardous	:	no
Sea transport (IMDG/IMO) UN number Description of the goods Class Packing group Marine pollutant	-	2031 NITRIC ACID 8 II no

Product AT USE DILUTION

Not intended for transport.

SECTION 15. REGULATORY INFORMATION

Product AS SOLD

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
nitric acid	7697-37-2	1000	5906

SARA 304 Extremely Hazardous Substances Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
nitric acid	7697-37-2	1000	5906

SARA 311/312 Hazards	: /	Acute Health Hazard			
SARA 302		: The following components are subject to reporting levels established by SARA Title III, Section 302:			
	I	nitric acid	7697-37-2	16.9312 %	
SARA 313		: The following components are subject to reporting levels establishe by SARA Title III, Section 313:			
	I	nitric acid	7697-37-2	16.9312 %	

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

This product contains one or several components listed in the Canadian NDSL.

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI) :


On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC) :

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION



Version Prepared by

: 1.0 : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.