

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 3/18/20 Version: 1.0

### Section 1: Identification of the substance/mixture and of the company/undertaking

PRODUCT NAME

Instant Hand Sanitizer

OTHER NAMES:

ALCOHOLS, N.O.S.

CAS Registry Number:

Not Available.

UN/NA Number(s):

UN1987

Molecular Formula:

Not Available.

MANUFACTURER COMPANY

Pernod Ricard USA LLC

ADDRESS

7401 Highway 45 South, Fort Smith Arkansas 72916

TELEPHONE:

(479)646-6100

**EMERGENCY TELEPHONE** 

(Chemtrec) (800)-424-930

#### Recommended use of the chemical and restrictions on use

Recommended use:

Hand Sanitizer

estrictions on use:

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable

information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product.



According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Date of issue: 3/18/2020 Version: 1.0

### Section 2: Hazards Identification

2.1. Classification of the

substance or mixture GHS-

US

Flammable Liquid 3 Eye Irritant 2A

2.2. Label elements 2.3. GHS-US and GHS-CA labelling Hazard pictograms (GHS-US, GHS-CA):





Signal word (GHS-US, GHS-CA):

Warning

Hazard statements (GHS-US, GHS-CA):

H226 Flammable liquid and vapor. H319 Causes serious eye irritation.

Precautionary statements (GHS-US, GHS-CA): Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P264 Wash skin

thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

#### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.5. Other hazards

Vapors may form explosive mixture with air

2.6. Unknown acute toxicity (GHS US and GHS CA)



According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 3/18/2020 Version: 1.0

### Section 3: Composition/Information on ingredients

### 3.1. Substance

Not applicable

#### 3.2. Mixture

Chemical Name	CAS Registry	Concentration %	EU EINECS/ELINCS 200-578-6 231-791-2	
Ethanol	64-17-5	79.36%		
Water	7732-18-5	11.05%		
Hydrogen Peroxide	7722-84-1	4.18%	231-765-0	
Isopropyl alcohol	alcohol 67-63-0 3.96%		200-661-7	
Glycerin 56-81-5		1.45%	200-289-5	

### Section 4: First Aid Measures

### 4.1. Description of first aid measures

General Advice:

In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.

First-aid measures if inhaled:

If inhaled, remove to fresh air. Get medical attention if symptoms occur.

First-aid measures in case of skin contact:

Wash with water and soap as a precaution. Get medical attention if

symptoms occur.

First-aid measures in case of eye contact:

In case of contact, immediately flush eyes with plenty of water for at

least 15 minutes.

First-aid measures in case of skin contact:

Wash with water and soap as a precaution. Get medical attention if

symptoms occur. If easy to do, remove contact lens, if worn.

If swallowed:

If swallowed, DO NOT induce vomiting. Get medical attention if

symptoms occur. Rinse mouth thoroughly with water.

### 4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects,

both acute and delayed:

Cause serious eye injury.

Symptoms/injuries after skin contact:

No known adverse effects. May cause slight skin irritation in sensitive

individuals.

Symptoms/injuries after ingestion: May be harmful if swallowed. May cause stomach

distress nausea or vomiting



According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Date of issue: 3/18/2020 Version: 1.0

# Section 5: Fire-Fighting Measures

Flammable Properties:

Flash Point:

25 deg C

5.1. Extinguishing media

Suitable extinguishing media

Water Spray. Carbon dioxide. Alcohol- resistant foam. Dry chemical.

Unsuitable extinguishing media

High volume water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard

Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.

Specific extinguishing methods:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Remove undamaged containers from

if it is safe to do so. Evacuate area.

Protection during firefighting

Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-

exposed containers cool.

**5.3. Advice for firefighters** Protection during firefighting

Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire- exposed

containers cool.

#### Section 6: Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

### 6.2. Methods and material for containment and cleaning up

For containment

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).



According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 3/18/2020 Version: 1.0

Scoop up material and place in a disposal container. Provide ventilation. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.3 Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

### Section 7: Handling and Storage

#### 7.1. Precautions for safe handling

Additional hazards when

processed

Handle empty containers with care because residual vapours are

flammable.

Precautions for safe handling

Keep away from sources of ignition - No smoking. Avoid contact with eyes. Avoid breathing vapour or mist. Handle and open container with care. Take precautionary measures against static discharge. Use only non-sparking tools. When using do not eat or drink. Use only outdoors or in a well- ventilated area.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

Proper grounding procedures to avoid static electricity should be followed.

**Storage Conditions** 

Keep out of the reach of children. Keep container tightly closed and in a

well-ventilated place. Keep away from heat, sparks, and flame. Keep cool.

Materials to avoid:

Do not store with the following product types: Strong oxidizing agents. Organic peroxides, flammable solids, gas, pyrophoric liquids or solids,

Explosives, self-heating substances or mixtures.

7.3. Specific end use(s)

Keep out of the reach of children.

### Section 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Ethanol (64-17-5)

**ACGIH** 

ACGIH STEL (ppm)

1000 ppm

OSHA

OSHA PEL (TWA) (mg/m³)

1900 mg/m<sup>3</sup>

**OSHA** 

OSHA PEL (TWA) (ppm)

1000 ppm

IDLH

US IDLH (ppm)

3300 ppm (10% LEL)



According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Date of issue: 3/18/2020 Version: 1.0

Isopropyl alcohol

(67-63-0)

**ACGIH** 

ACGIH STEL (ppm)

OSHA OSHA OSHA PEL (TWA) (mg/m³) OSHA PEL (TWA) (ppm) 980 mg/m<sup>3</sup> 400 ppm

400 ppm

IDLH

US IDLH (ppm)

2000 ppm (10% LEL)

NIOSH

NIOSH REL (TWA) (mg/m³)

980 mg/m<sup>3</sup>

NIOSH

NIOSH REL (TWA) (ppm)

400 ppm

### 8.2. Exposure controls

Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume,

vapor, etc.) below recommended exposure limits

Hand protection

Wear impervious gloves.

Eye protection

Safety glasses with side shields.

Skin and Body protection

Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Respirator selection must be based on known or anticipated exposure levels,

the hazards of the product and the safe working limits of the selected

respirator.

Environmental exposure controls

Maintain levels below Community environmental protection thresholds.

Other Information

Do not eat, smoke or drink where material is handled, processed or stored.

Wash hands carefully before eating or smoking. Handle according to

established industrial hygiene and safety practices.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Appearance: Clear Colour: Colorless Odour: Alcohol

Odour threshold: No data available

pH: 6.0-7.50

Melting Point: No data available Boiling Point: No data available

Flash point: 25 deg C

Relative evaporation rate: no data available Flammability (solid, gas): not applicable Explosive limits: No data available Explosive properties: No data available Oxidizing properties: No data available Vapour pressure: No data available Density: 0.847at 20 deg C (water = 1)



According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 3/18/2020 Version: 1.0

Auto-ignition temperature: No data available Decomposition temperature: No data available

Viscosity: No data available

Viscosity, kinematic: No data available Viscosity, dynamic: No data available Molecular Weight: No data available Conversion Factor: No data available

#### 9.2. Other information

No additional information available

### **SECTION 10. STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2. Chemical stability

Stable under normal storage conditions. May form flammable/explosive vapour-air mixture. Keep in a cool place.

#### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use. Flammable liquid and vapor.

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

#### 10.4. Conditions to avoid

Heat. Incompatible materials. Ignition sources.

#### 10.5. Incompatible materials

Oxidizing agents.

#### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

### Section 11: Toxicological Information

#### 11.1. Information on toxicological effects

Isopropyl alcohol (67-63-0)

Inhalation

LC50 Rat: 72.6mg/l/4h Oral LD50 Rat: 4396 mg/kg LD50 dermal Rabbit 12870 mg/kg LC50 dermal Rat 12800 mg/kg

Neurotoxicity:

This product contains isopropyl alcohol, a central nervous

system target

Developmental:

This product contains isopropyl alcohol, a developmental

hazard.

Germ cell mutagenicity:

No information available for product. No information available for product.

Reproductive: Carcinogenicity:

ACGIH A4- Not classified as a Human Carcinogen

Target Organs:

Skin, eyes, CNS, Kidney, Developmental and respiratory system.

### Ethanol (64-17-5)

LD50 oral rat 7060 mg/kg

LC50 inhalation rat 124.7 mg/l/4h

Skin corrosion/irritation:

Based on available data, classification criteria are not



According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 3/18/2020 Version: 1.0

Shipping Name and Description: UN1987

Proper Shipping name: ALCOHOLS, N.O.S (ethanol, isopropyl alcohol)

Class: 3

Group/Category: III

Labels: 3

#### IATA-DGR

Shipping Name and Description: UN1987

Proper Shipping name: ALCOHOLS, N.O.S (ethanol, isopropyl alcohol)

Class: 3

Packaging Group/Category: III Labels: Flammable Liquids

Packing instructions (cargo aircraft): 366
Packing instructions (Passenger aircraft): 35

#### **IMDG-Code**

Shipping Name and Description: UN1987

Proper Shipping name: ALCOHOLS, N.O.S (ethanol, isopropyl alcohol)

Class: 3

Packaging Group/Category: III

EmS Code F-E, S-D Marine pollutant: yes

#### Domestic regulation

Shipping Name and Description: UN1987

Proper Shipping name: ALCOHOLS, N.O.S (ethanol, isopropyl alcohol)

Class: 3

Packaging Group/Category: III Labels: FLAMMABLE LIQUID

ERG Code 127

Marine pollutant: yes

### Section 15: Regulatory Information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS) 1988

CCOHS WHMIS 1988 Classification:

D2B - Poisonous and infectious material - Other effects - Toxic

WHMIS 1988 Health Effects Criteria Met by this Chemical: D2B - Eye irritation - toxic - other

WHMIS 1988 Ingredient Disclosure List: Included for disclosure at 0.1% or greater.

### EUROPEAN UNION (EU) CLASSIFICATION AND LABELLING INFORMATION

This EU classification information reflects the 29th Adaptation to Technical Progress (ATP) of Council Directive 67/548/EEC. The EU has adopted the 30th ATP (2008/58/EC of 21 August 2008) and 31st ATP (2009/2/EC of 15 January 2009) of this Council Directive. See: http://ecb.jrc.ec.europa.eu/esis for current information. EU Classification:



According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Date of issue: 3/18/2020 Version: 1.0

Carcinogenicity:

May cause cancer.

Ethanol (64-17-5)

IARC group

1 - Carcinogenic to humans

Reproductive toxicity

Specific target organ toxicity (single

exposure)

Specific target organ toxicity

(repeated exposure)

Aspiration hazard

Symptoms/injuries after inhalation

Symptoms/injuries after skin contact

Symptoms/injuries after eye contact

Symptoms/injuries after ingestion

May damage fertility or the unborn child.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met.

No known adverse effects. May cause nausea, dizziness or vomiting if

large quantities are inhaled.

No known adverse effects. May cause slight skin irritation in sensitive

individuals.

Causes eye irritation. Symptoms may include discomfort or pain, excess

blinking and tear

production, with marked redness and swelling of the conjunctiva

May be harmful if swallowed in large quantities. May cause stomach

distress, nausea or vomiting. Signs of alcohol intoxication.

### Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - general: May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Not established

12.3. Bio accumulative potential

Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming: No known ecological damage caused by this product.

### Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Review federal, provincial and local government requirements prior to disposal. Store material for disposal as indicated in Storage Conditions. Disposal by controlled incineration or secure landfill may be acceptable.

### **SECTION 14. TRANSPORT INFORMATION**

CANADIAN TRANSPORTATION OF DANGEROUS GOODS (TDG) SHIPPING INFORMATION



According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 3/18/2020 Version: 1.0

\*This safety phrase can be omitted from the label when the substance or preparation is sold for industrial use only.

### **SECTION 16. OTHER INFORMATION**

Other information: None.

### Pernod Ricard USA, LLC / 100 Manhattanville Road / Purchase, NY 10577

RECEIVED, subject to the classifications, contract rates, or lawfully filed tariff rates in effect on the date of the issue of this bill of lading

The property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth in (1) Official. Southern, Western and Illinois Freight Classifications in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

STRAIGHT BILL OF LADING ORIGINAL -- NOT NEGOTIABLE -- SHORT FORM --

Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby assigned to by the shipper and accepted for himself as his assigns.

BILL OF LADING #

COV-19

SHIP DATE: 4/22/2020 CARRIER'S NUMBER:

UNIT NO.

CARRIER: UPS

PERNOD RICARD USA BOTTLING, LLC

CONSIGNED TO:

7401 Highway 45 South

Fort Smith, Arkansas 72916

IN Hospitals 6001 Airport Rd.

Gary, IN 46406

POC: Lori Postma

219-712-0774

CONTAINER:

BOOKING:

SO#

FROM:

0

Item Code	de Description  HAND SANITIZER		WEIGHT	RATE	Subject to section 7 of conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:  The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.
	WINE GALLONS:	1,550.0000	Lbs		
	PROOF GALLONS:	0.0000	11,600		If charges are to be prepaid, write or stamp here, "To be Prepaid.
	PROOF:	159.88	KG	1	PREPAID
	WPG:	7.21		1	Received \$
					to apply in prepayment of the charges on the property described hereon.
	Lot #: HS-20-0009			NET	
	31 Drums				Agent or Cashier
	UN1987, ALCOHOLS, NOS, 3, PG				Per
	FLASH POINT 25 DEGREES C				
	OR HIGHER	- 1			(The signature here acknowledges only the amount prepaid)
		- 1			Charges Advanced:
	Schedule B:				<u>\$</u>
	SEALS:	- 1			† The Fibre Boxes used for this shipment conform to the specificatio
	TOP (), (), (), (), ()				set forth in the Box Maker's Certificate thereon, and all other requirements or Rule 4.1 of the Consolidated Freight Classification.
	воттом (),(),(), ()				"Shipper's imprint in lieu of stamp; not a part of bill of lading approved by the Interstate Commerce Commission."
	EMERGENCY CONTACT:			0000	NOTE-Where the rate is dependent on value, shippers are required to
				(New York	state specifically in writing the agreed or declared value of the
	CHEMTREC: 1-800-424-9300 Within USA & Canada			100	property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding
	1-703-527-3887 Outside USA			1,53	Per
	PS Freight 421 093 584 SPD			la	If the shipment moves between two ports by a carrier by water, the two requires that the bill of lading shall state whether it is "carrier's or hipper's weight."

OF LADING ARE CORRECT SUBJECT TO VERIFICATION BY

CARRIERS' WEIGHING & INSPECTION BUREAUS ACCORDING TO AGREEMENT

THE