MATERIAL SAFETY DATA SHEET

WATERIAL SA This MSDS complies with OSHA'S Hazard Commu		-		d OSHA Form	174		
IDENTITY AND MAN					174		
NFPA Rating: Health-1; Flammability-3; Reactivity-0; Special-0		HMIS Rating: Health-1; Flammability-3; Reactivity-0; Personal Protection-B					
Manufacturer's Name: AMREP, INC.		DOT Hazard Classification: ORM-D					
Address: 990 Industrial Park Drive							
	identity (ii	Identity (trade name as used on label):					
Marietta, GA 30062							
		PLUS+(Metered)					
Date Prepared: 06/22/05 Prepared By: TR	MSDS Nu	MSDS Number: A00217 Revision-4					
Information Calls: (770)422-2071	NC	NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA					
EMERGENCY RESPONSE NUMBER: 1(800)255-3924							
SECTION 1 - MATERIAL ID	ENTIFICATIO	N AND INFO	RMATIO	N			
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES	CA	S Number	SARA	OSHA PEL	ACGIH	Carcinogen	
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)			III LIST	(ppm)	TLV (ppm)	Ref. Source **	
ACETONE		7-64-1	No	1000	750	d	
ISOBUTANE / PROPANE BLEND	7	5-28-5	No	800	800	d	
	7	4-98-6	No	1000	1000	d	
	<u> </u>						
			ICTICC			<u> </u>	
SECTION 2 - PHYSICAL				inate Orth	. 4		
Boiling Point: N/A Vapor Pressure: PSIG @ 70°F (Aerosols): 70		vity (H2O=1):				1	
Vapor Pressure: PSIG @ 70°F (Aerosols): 70 Vapor Density (Air = 1): N/E	Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A						
	Evaporation		= 1):	N/E			
Solubility in Water: Soluble	Water React	IVE: NO					
Appearance and Odor: Clear liquid with fragrance.							
SECTION 3 - FIRE AN			1				
· · · ·	Y as per USA FLAME PROJECTION TEST Auto Ignition Temperature Flammability Limits in Air by % in Volume:						
(aerosols) NON-FLAMMABLE	N/E % LEL: N/E % UEL: N/E						
FLASH POINT AND METHOD USED (non-aerosols): N/A						personnel. Wear	
self-contained breathing apparatus. Cool containers with water fog to prevent							
EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water.	rupturing & s	-					
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture.							
SECTION 4 - REACTIVITY HAZARD DATA							
STABILITY [X] STABLE HAZ ARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR							
Incompatibility (Mat. to avoid): Alkalis, oxidizing materials, amines. Conditions to Avoid: Open flame, welding arcs, heat.							
Hazardous Decomposition Products: CO, CO2.							
SECTION 5 - HEALTH HAZARD DATA							
PRIMARY ROUTES OF ENTRY: [X] INHALATION [] INGESTION [] SKIN ABSORPTION [] EYE [] NOT HAZARDOUS							
ACUTE EFFECTS Vapor concentrations around 1000 ppm may cause slight transient irritation to the upper respiratory tract.							
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.							
Eye Contact: Irritation. Skin Contact: May cause slight irritation.							
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.							
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause mucous membrane irritation, overnight headache, and							
general weakness. Medical Conditions Constally Approvated by Exposures. May approvate ovisting ave. skip, or upper respiratory conditions							
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions. EMERGENCY FIRST AID PROCEDURES							
		CEDURES					
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical atter							
Skin Contact: Wash with soap and water. If irritated, seek medical attention.							
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention. Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention.							
SECTION 6 - CONTROL				01000-10	-		
Respiratory Protection (specify type): If vapor concentration exceeds TLV				-	1.		
Protective Gloves: Latex, if skin easily irritated. Ventilation Requirements: Adequate ventilation to keep vapor concentration		ion: Safety gl	19262 160	unmended.			
Other Protective Clothing & Equipment: None	I DEIOW ILV.						
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.							
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE							
SECTION 7 - FRECAUTIONS FOR SAFE HANDLING AND USE Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or federal regulations. DO NOT							
FLUSH TO SEWER.							
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.							
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F.							
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors. Remove ignition sources.							
We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.							

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only