



[Close this window](#)

SDS

**Common Name:** THE END. WASP AND HORNET KILLER

**Manufacturer:** ITW PRO BRANDS

**SDS Revision Date:** 11/24/2014

**SDS Format:** GHS-US

**Grainger Item Number(s):** 2DCB5, 5UT22, 6XMH4

**Manufacturer Model Number(s):**

## SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

- [1 IDENTIFICATION](#)
- [2 HAZARD\(S\) IDENTIFICATION](#)
- [3 COMPOSITION/INFORMATION ON INGREDIENTS](#)
- [4 FIRST-AID MEASURES](#)
- [5 FIRE-FIGHTING MEASURES](#)
- [6 ACCIDENTAL RELEASE MEASURES](#)
- [7 HANDLING AND STORAGE](#)
- [8 EXPOSURE CONTROLS/PERSONAL PROTECTION](#)
- [9 PHYSICAL AND CHEMICAL PROPERTIES](#)
- [10 STABILITY AND REACTIVITY](#)
- [11 TOXICOLOGICAL INFORMATION](#)
- [12 ECOLOGICAL INFORMATION](#)
- [13 DISPOSAL CONSIDERATIONS](#)
- [14 TRANSPORT INFORMATION](#)
- [15 REGULATORY INFORMATION](#)
- [16 OTHER INFORMATION](#)

ITW PRO BRANDS

SAFETY DATA SHEET

ACC. TO HCS AND GHS

PRINTING DATE: 11/24/2014

REVIEWED ON: 11/24/2014

## 1 IDENTIFICATION



PRODUCT IDENTIFIER:

TRADE NAME: THE END.(TM) WASP AND HORNET KILLER

ARTICLE NUMBER: 183

APPLICATION OF THE SUBSTANCE / THE MIXTURE: INSECTICIDE

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

MANUFACTURER/SUPPLIER:

ITW PRO BRANDS

805 EAST OLD 56 HIGHWAY

OLATHE, KANSAS 66061

PHONE: 1-800-224-4860

EMERGENCY TELEPHONE NUMBER:

INFOTRAC EMERGENCY HOTLINE: 1-800-535-5053

## 2 HAZARD(S) IDENTIFICATION



CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

GHS04: GAS CYLINDER

PRESS. GAS:

H280: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

GHS08: HEALTH HAZARD

CARC. 2:

H351: SUSPECTED OF CAUSING CANCER.

ASP. TOX. 1:

H304: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

GHS07: EXCLAMATION MARK

SKIN SENS. 1:

H317: MAY CAUSE AN ALLERGIC SKIN REACTION.

LABEL ELEMENTS:

GHS LABEL ELEMENTS:

THE PRODUCT IS CLASSIFIED AND LABELED ACCORDING TO THE GLOBALLY HARMONIZED SYSTEM (GHS).

HAZARD PICTOGRAMS:

GHS04: GAS CYLINDER

GHS07: EXCLAMATION MARK

GHS08: HEALTH HAZARD

SIGNAL WORD: DANGER

HAZARD-DETERMINING COMPONENTS OF LABELING:  
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT  
PERMETHRIN (ISO)

HAZARD STATEMENTS:

H280: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.  
H317: MAY CAUSE AN ALLERGIC SKIN REACTION.  
H351: SUSPECTED OF CAUSING CANCER.  
H304: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

PRECAUTIONARY STATEMENTS:

P101:

IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL AT HAND.

P102: KEEP OUT OF REACH OF CHILDREN.

P103: READ LABEL BEFORE USE.

P210: KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.

P251:

PRESSURIZED CONTAINER: DO NOT PIERCE OR BURN, EVEN AFTER USE.

P261: AVOID BREATHING MIST/VAPOURS/SPRAY.

P281: USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED.

P301+P310:

IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR.

P308+P313:

IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION.

P331: DO NOT INDUCE VOMITING.

P410+P412:

PROTECT FROM SUNLIGHT. DO NOT EXPOSE TO TEMPERATURES EXCEEDING  
50 DEG. C/122 DEG. F.

P501:

DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH  
LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.

ADDITIONAL INFORMATION:

PRESSURIZED CONTAINER: MAY BURST IF HEATED.

CONTAINS PERMETHRIN (ISO). MAY PRODUCE AN ALLERGIC REACTION.

## HAZARD DESCRIPTION:

## WHMIS-SYMBOLS:

A-COMPRESSED GAS

B5- FLAMMABLE AEROSOL

D2B - TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS

## CLASSIFICATION SYSTEM:

## NFPA RATINGS (SCALE 0-4):

HEALTH 2

FIRE 3

REACTIVITY 0

## HMIS-RATINGS (SCALE 0-4):

HEALTH 2\*

FIRE 3

REACTIVITY 0

\* - INDICATES A LONG TERM HEALTH HAZARD FROM REPEATED OR PROLONGED EXPOSURES.

## OTHER HAZARDS:

## RESULTS OF PBT AND VPVB ASSESSMENT:

PBT: NOT APPLICABLE.

VPVB: NOT APPLICABLE.

**3 COMPOSITION/INFORMATION ON INGREDIENTS**

## CHEMICAL CHARACTERIZATION: MIXTURES

## DESCRIPTION:

MIXTURE OF THE SUBSTANCES LISTED BELOW WITH NONHAZARDOUS ADDITIONS.

## DANGEROUS COMPONENTS:

64742-47-8	DISTILLATES (PETROLEUM), HYDROTREATED LIGHT ASP. TOX. 1, H304	50-100%
124-38-9	CARBON DIOXIDE PRESS. GAS, H280	</=2.5%
51-03-6	2-(2-BUTOXYETHOXY)ETHYL 6-PROPYLPIPERONYLETHER AQUATIC ACUTE 1, H400 AQUATIC CHRONIC 1, H410	<1%
52645-53-1	PERMETHRIN (ISO) AQUATIC ACUTE 1, H400 AQUATIC CHRONIC 1, H410 ACUTE TOX. 4, H302 ACUTE TOX. 4, H332	<1%

SKIN SENS. 1, H317

7696-12-0 TETRAMETHRIN <1%  
 CARC. 2, H351  
 AQUATIC ACUTE 1, H400  
 AQUATIC CHRONIC 1, H410  
 ACUTE TOX. 4, H332

## DANGEROUS COMPONENTS (ALTERNATIVE CLASSIFICATIONS):

64742-47-8 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 50-100%  
 ASP. TOX. 1, H304

124-38-9 CARBON DIOXIDE </=2.5%  
 PRESS. GAS, H280

51-03-6 2-(2-BUTOXYETHOXY)ETHYL 6-PROPYLPYPERONYLETHYR </=2.5%  
 AQUATIC ACUTE 1, H400  
 AQUATIC CHRONIC 1, H410

52645-53-1 PERMETHRIN (ISO) </=2.5%  
 AQUATIC ACUTE 1, H400  
 AQUATIC CHRONIC 1, H410  
 ACUTE TOX. 4, H302  
 ACUTE TOX. 4, H332  
 SKIN SENS. 1, H317

7696-12-0 TETRAMETHRIN </=2.5%  
 CARC. 2, H351  
 AQUATIC ACUTE 1, H400  
 AQUATIC CHRONIC 1, H410  
 ACUTE TOX. 4, H332

**4 FIRST-AID MEASURES**

## DESCRIPTION OF FIRST AID MEASURES:

GENERAL INFORMATION: TAKE AFFECTED PERSONS OUT INTO THE FRESH AIR.

## AFTER INHALATION:

SUPPLY FRESH AIR; CONSULT DOCTOR IN CASE OF COMPLAINTS.

PROVIDE OXYGEN TREATMENT IF AFFECTED PERSON HAS DIFFICULTY BREATHING.

IN CASE OF UNCONSCIOUSNESS PLACE PATIENT STABLY IN SIDE POSITION FOR TRANSPORTATION.

## AFTER SKIN CONTACT:

IMMEDIATELY WASH WITH WATER AND SOAP AND RINSE THOROUGHLY.

IN CASES OF FROSTBITE, RINSE WITH PLENTY OF WATER. DO NOT REMOVE CLOTHING.  
 IF SKIN IRRITATION CONTINUES, CONSULT A DOCTOR.

AFTER EYE CONTACT:  
REMOVE CONTACT LENSES IF WORN.

RINSE OPENED EYE FOR SEVERAL MINUTES UNDER RUNNING WATER. IF SYMPTOMS PERSIST, CONSULT A DOCTOR.

AFTER SWALLOWING:  
RINSE OUT MOUTH AND THEN DRINK PLENTY OF WATER.

DO NOT INDUCE VOMITING; IMMEDIATELY CALL FOR MEDICAL HELP.

A PERSON VOMITING WHILE LYING ON THEIR BACK SHOULD BE TURNED ONTO THEIR SIDE.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

HEADACHE  
BREATHING DIFFICULTY  
DIZZINESS  
CRAMP  
COUGHING  
FROSTBITE  
NAUSEA  
GASTRIC OR INTESTINAL DISORDERS WHEN INGESTED.

DANGER:  
DANGER OF PULMONARY EDEMA.  
DANGER OF IMPAIRED BREATHING.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:  
IF SWALLOWED OR IN CASE OF VOMITING, DANGER OF ENTERING THE LUNGS.  
TREAT FROST-BITTEN AREAS APPROPRIATELY.  
CONTAINS PERMETHRIN (ISO). MAY PRODUCE AN ALLERGIC REACTION.

## 5 FIRE-FIGHTING MEASURES



EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING AGENTS:  
WATER FOG / HAZE  
FOAM  
FIRE-EXTINGUISHING POWDER  
CARBON DIOXIDE

FOR SAFETY REASONS UNSUITABLE EXTINGUISHING AGENTS: WATER STREAM.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:  
FORMATION OF TOXIC GASES IS POSSIBLE DURING HEATING OR IN CASE OF FIRE.

ADVICE FOR FIREFIGHTERS:

PROTECTIVE EQUIPMENT:

WEAR SELF-CONTAINED RESPIRATORY PROTECTIVE DEVICE.  
WEAR FULLY PROTECTIVE SUIT.

ADDITIONAL INFORMATION:

LEAKING GAS FIRE:  
DO NOT EXTINGUISH, UNLESS LEAK CAN BE STOPPED SAFELY.

IF AEROSOLS ARE BURSTING, STAY CLEAR UNTIL SAFE. AEROSOL CONTAINERS CAN  
BE PROJECTILES WHEN BURSTING.

COOL ENDANGERED RECEPTACLES WITH WATER FOG.

## 6 ACCIDENTAL RELEASE MEASURES



PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:  
USE RESPIRATORY PROTECTIVE DEVICE AGAINST THE EFFECTS OF  
FUMES/DUST/AEROSOL.

ENSURE ADEQUATE VENTILATION.

ENVIRONMENTAL PRECAUTIONS:  
DO NOT ALLOW TO ENTER SEWERS/SURFACE OR GROUND WATER.

DO NOT ALLOW PRODUCT TO REACH SEWAGE SYSTEM OR ANY WATER COURSE.

INFORM RESPECTIVE AUTHORITIES IN CASE OF SEEPAGE INTO WATER COURSE OR  
SEWAGE SYSTEM.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:  
ABSORB LIQUID COMPONENTS WITH LIQUID-BINDING MATERIAL.  
DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO ITEM 13.  
ENSURE ADEQUATE VENTILATION.  
SEND FOR RECOVERY OR DISPOSAL IN SUITABLE RECEPTACLES.

REFERENCE TO OTHER SECTIONS:  
SEE SECTION 7 FOR INFORMATION ON SAFE HANDLING.  
SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT.  
SEE SECTION 13 FOR DISPOSAL INFORMATION.

## 7 HANDLING AND STORAGE



PRECAUTIONS FOR SAFE HANDLING:  
KEEP AWAY FROM HEAT AND DIRECT SUNLIGHT.  
USE ONLY IN WELL VENTILATED AREAS.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES:  
KEEP IGNITION SOURCES AWAY - DO NOT SMOKE.  
DO NOT SPRAY ON A NAKED FLAME OR ANY INCANDESCENT MATERIAL.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

STORAGE:

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES:

OBSERVE OFFICIAL REGULATIONS ON STORING PACKAGINGS WITH PRESSURIZED CONTAINERS.

PROVIDE VENTILATION FOR RECEPTACLES.

STORE ONLY IN THE ORIGINAL RECEPTACLE.

INFORMATION ABOUT STORAGE IN ONE COMMON STORAGE FACILITY:

STORE AWAY FROM FOODSTUFFS.

STORE AWAY FROM OXIDIZING AGENTS.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS:

STORE IN A COOL PLACE. HEAT WILL INCREASE PRESSURE AND MAY LEAD TO THE RECEPTACLE BURSTING.

SPECIFIC END USE(S): NO FURTHER RELEVANT INFORMATION AVAILABLE.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION



ADDITIONAL INFORMATION ABOUT DESIGN OF TECHNICAL SYSTEMS:

NO FURTHER DATA; SEE ITEM 7.

CONTROL PARAMETERS:

COMPONENTS WITH LIMIT VALUES THAT REQUIRE MONITORING AT THE WORKPLACE:

64742-47-8 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

EL (CANADA):

LONG-TERM VALUE: 200 MG/M3

SKIN

124-38-9 CARBON DIOXIDE:

PEL (USA):

LONG-TERM VALUE: 9000 MG/M3, 5000 PPM

REL (USA):

SHORT-TERM VALUE: 54.000 MG/M3, 30.000 PPM

LONG-TERM VALUE: 9000 MG/M3, 5000 PPM

TLV (USA):

SHORT-TERM VALUE: 54.000 MG/M3, 30.000 PPM

LONG-TERM VALUE: 9000 MG/M3, 5000 PPM

EL (CANADA):



SHORT-TERM VALUE: 15000 PPM

LONG-TERM VALUE: 5000 PPM

EV (CANADA):

SHORT-TERM VALUE: 54.000 MG/M3, 30.000 PPM

LONG-TERM VALUE: 9.000 MG/M3, 5.000 PPM

LMPE (MEXICO):

SHORT-TERM VALUE: 30000 PPM

LONG-TERM VALUE: 5000 PPM

ADDITIONAL INFORMATION:

THE LISTS THAT WERE VALID DURING THE CREATION WERE USED AS BASIS.

EXPOSURE CONTROLS:

PERSONAL PROTECTIVE EQUIPMENT:

GENERAL PROTECTIVE AND HYGIENIC MEASURES:

THE USUAL PRECAUTIONARY MEASURES FOR HANDLING CHEMICALS SHOULD BE FOLLOWED.

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED.

WASH HANDS BEFORE BREAKS AND AT THE END OF WORK.

DO NOT INHALE GASES/FUMES/AEROSOLS.

AVOID CLOSE OR LONG TERM CONTACT WITH THE SKIN.

AVOID CONTACT WITH THE EYES.

BREATHING EQUIPMENT:

NOT REQUIRED UNDER NORMAL CONDITIONS OF USE.

FOR SPILLS, RESPIRATORY PROTECTION MAY BE ADVISABLE.

USE SUITABLE RESPIRATORY PROTECTIVE DEVICE IN CASE OF INSUFFICIENT VENTILATION.

PROTECTION OF HANDS: PROTECTIVE GLOVES

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/THE SUBSTANCE/THE PREPARATION. SELECTION OF THE GLOVE MATERIAL ON CONSIDERATION OF THE PENETRATION TIMES, RATES OF DIFFUSION AND THE DEGRADATION

MATERIAL OF GLOVES:

THE SELECTION OF THE SUITABLE GLOVES DOES NOT ONLY DEPEND ON THE MATERIAL, BUT ALSO ON FURTHER MARKS OF QUALITY AND VARIES FROM MANUFACTURER TO MANUFACTURER. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CAN NOT BE CALCULATED IN ADVANCE AND HAS THEREFORE TO BE CHECKED PRIOR TO THE APPLICATION.

PENETRATION TIME OF GLOVE MATERIAL:

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

EYE PROTECTION: SAFETY GLASSES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

LIMITATION AND SUPERVISION OF EXPOSURE INTO THE ENVIRONMENT:  
NO FURTHER RELEVANT INFORMATION AVAILABLE.

## 9 PHYSICAL AND CHEMICAL PROPERTIES



INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

GENERAL INFORMATION:

APPEARANCE:

FORM: LIQUID

COLOR: COLORLESS

ODOR: NEARLY ODORLESS

ODOR THRESHOLD: NOT DETERMINED.

PH-VALUE AT 20 DEG. C (68 DEG. F): 5.1

CHANGE IN CONDITION:

MELTING POINT/MELTING RANGE: UNDETERMINED.

BOILING POINT/BOILING RANGE: 221 DEG. C (430 DEG. F)

FLASH POINT: 82 DEG. C (180 DEG. F)

FLAMMABILITY (SOLID, GASEOUS): NOT APPLICABLE.

AUTO-IGNITION TEMPERATURE: NOT DETERMINED.

DECOMPOSITION TEMPERATURE: NOT DETERMINED.

AUTO IGNITING: PRODUCT IS NOT SELF-IGNITING.

DANGER OF EXPLOSION: NOT DETERMINED.

EXPLOSION LIMITS:

LOWER: NOT DETERMINED.

UPPER: NOT DETERMINED.

VAPOR PRESSURE AT 21 DEG. C (70 DEG. F): 80 - 100 PSIG

DENSITY AT 20 DEG. C (68 DEG. F):

0.779 - 0.799 G/CM3 (6.501 - 6.668 LBS/GAL)

RELATIVE DENSITY: NOT DETERMINED.

VAPOUR DENSITY: >1 (AIR=1)

EVAPORATION RATE: NOT APPLICABLE.

SOLUBILITY IN/MISCIBILITY WITH WATER: NOT MISCIBLE OR DIFFICULT TO MIX.

PARTITION COEFFICIENT (N-OCTANOL/WATER): NOT DETERMINED.

VISCOSITY:

DYNAMIC: NOT DETERMINED.

KINEMATIC: NOT DETERMINED.

SOLVENT CONTENT:

VOC (CALIFORNIA): 20%

OTHER INFORMATION: NO FURTHER RELEVANT INFORMATION AVAILABLE.

## 10 STABILITY AND REACTIVITY



REACTIVITY:

CHEMICAL STABILITY:

THERMAL DECOMPOSITION / CONDITIONS TO BE AVOIDED:

NO DECOMPOSITION IF USED AND STORED ACCORDING TO SPECIFICATIONS.

POSSIBILITY OF HAZARDOUS REACTIONS: REACTS WITH OXIDIZING AGENTS.

CONDITIONS TO AVOID:

KEEP AWAY FROM HEAT AND DIRECT SUNLIGHT.

EXCESSIVE HEAT.

INCOMPATIBLE MATERIALS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

HAZARDOUS DECOMPOSITION PRODUCTS: HYDROCARBONS

## 11 TOXICOLOGICAL INFORMATION



INFORMATION ON TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY:

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:

64742-47-8 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

ORAL:

LD50: >5000 MG/KG (RAT)

DERMAL:

LD50: >2000 MG/KG (RABBIT)

51-03-6 2-(2-BUTOXYETHOXY)ETHYL 6-PROPYLPYPERONYLETHETHER:

ORAL:

LD50: 15630 MG/KG (RAT)

DERMAL:

LD50: >2000 MG/KG (RABBIT)

INHALATIVE:

LC50/4H: >5.9 MG/L (RAT)

PRIMARY IRRITANT EFFECT:

ON THE SKIN: MAY HAVE MILD IRRITANT EFFECT ON SKIN

ON THE EYE: CAUSES MODERATE IRRITATION.

SENSITIZATION:

SENSITIZING EFFECT BY SKIN CONTACT IS POSSIBLE WITH PROLONGED EXPOSURE.

ADDITIONAL TOXICOLOGICAL INFORMATION:

THE PRODUCT SHOWS THE FOLLOWING DANGERS ACCORDING TO INTERNALLY APPROVED CALCULATION METHODS FOR PREPARATIONS:

TOXIC AND/OR CORROSIVE EFFECTS MAY BE DELAYED UP TO 24 HOURS.

SUSPECTED OF CAUSING CANCER.

CARCINOGENIC CATEGORIES:

NTP (NATIONAL TOXICOLOGY PROGRAM): NONE OF THE INGREDIENTS IS LISTED.

OSHA-CA (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION):

NONE OF THE INGREDIENTS IS LISTED.

REPEATED DOSE TOXICITY:

MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

REPEATED EXPOSURES MAY RESULT IN SKIN AND/OR RESPIRATORY SENSITIVITY.

## 12 ECOLOGICAL INFORMATION



TOXICITY:

AQUATIC TOXICITY: TOXIC FOR AQUATIC ORGANISMS

51-03-6 2-(2-BUTOXYETHOXY)ETHYL 6-PROPYLPIPERONYLETHETHER:

EC50: 0.51 MG/KG (DAPHNIA) (48HR)

LC50:

5.37 MG/L (LEPOMIS MACROCHIRUS) (96 HR)

6.12 MG/L (ONCORHYNCHUS MYKISS) (96 HR)

PERSISTENCE AND DEGRADABILITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

BIOACCUMULATIVE POTENTIAL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

MOBILITY IN SOIL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

ECOTOXICAL EFFECTS:

REMARK: VERY TOXIC FOR FISH

ADDITIONAL ECOLOGICAL INFORMATION:

GENERAL NOTES:

DO NOT ALLOW PRODUCT TO REACH GROUND WATER, WATER COURSE OR SEWAGE SYSTEM.

DANGER TO DRINKING WATER IF EVEN SMALL QUANTITIES LEAK INTO THE GROUND.

ALSO POISONOUS FOR FISH AND PLANKTON IN WATER BODIES.

VERY TOXIC FOR AQUATIC ORGANISMS

RESULTS OF PBT AND VPVB ASSESSMENT:

PBT: NOT APPLICABLE.

VPVB: NOT APPLICABLE.

OTHER ADVERSE EFFECTS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

## 13 DISPOSAL CONSIDERATIONS



WASTE TREATMENT METHODS:

RECOMMENDATION:

MUST NOT BE DISPOSED OF TOGETHER WITH HOUSEHOLD GARBAGE. DO NOT ALLOW PRODUCT TO REACH SEWAGE SYSTEM. CONTACT WASTE PROCESSORS FOR RECYCLING INFORMATION.

CAN BE BURNED WITH HOUSEHOLD GARBAGE AFTER CONSULTING WITH THE WASTE DISPOSAL FACILITY OPERATOR AND THE PERTINENT AUTHORITIES AND ADHERING TO THE NECESSARY TECHNICAL REGULATIONS.

THE USER OF THIS MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES. RESIDUAL MATERIALS SHOULD BE TREATED AS HAZARDOUS.

UNCLEANED PACKAGINGS:

RECOMMENDATION: DISPOSAL MUST BE MADE ACCORDING TO OFFICIAL REGULATIONS.

## 14 TRANSPORT INFORMATION



UN-NUMBER:

DOT, ADR, IMDG, IATA: UN1950

UN PROPER SHIPPING NAME:

| LIMITED QUANTITY FOR PACKAGES LESS THAN 30 KG (66 LB) AND INNER  
| PACKAGINGS LESS THAN 1 L (0.3 GAL).

DOT: AEROSOLS

ADR: 1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS

IMDG: AEROSOLS

IATA: AEROSOLS, NON-FLAMMABLE

TRANSPORT HAZARD CLASS(ES):

DOT: CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES

CLASS: 2.2

LABEL: 2.2

ADR:

CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES  
ENVIRONMENT

CLASS: 2 5A GASES

LABEL: 2.2

IMDG:

CLASS 2.2 - NON-FLAMMABLE GASES  
ENVIRONMENT

CLASS: 2.2

LABEL: 2.2

IATA: CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES

CLASS: 2.2

LABEL: 2.2

PACKING GROUP:

DOT, ADR, IMDG, IATA: NOT REGULATED

ENVIRONMENTAL HAZARDS:

MARINE POLLUTANT:

YES

SYMBOL (FISH AND TREE)

SPECIAL MARKING (ADR): SYMBOL (FISH AND TREE)

SPECIAL PRECAUTIONS FOR USER:

WARNING: GASES

DANGER CODE (KEMLER):

EMS NUMBER: F-D, S-U

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:  
NOT APPLICABLE.

TRANSPORT/ADDITIONAL INFORMATION:

DOT:

QUANTITY LIMITATIONS:

ON PASSENGER AIRCRAFT/RAIL: 75 KG

ON CARGO AIRCRAFT ONLY: 150 KG

ADR:

EXCEPTED QUANTITIES (EQ):

CODE: E0

NOT PERMITTED AS EXCEPTED QUANTITY

IMDG:

LIMITED QUANTITIES (LQ): 1L

EXCEPTED QUANTITIES (EQ):

CODE: E0

NOT PERMITTED AS EXCEPTED QUANTITY

UN "MODEL REGULATION": UN1950, AEROSOLS, 2.2

## 15 REGULATORY INFORMATION



SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE  
SUBSTANCE OR MIXTURE:

SARA:

SECTION 355 (EXTREMELY HAZARDOUS SUBSTANCES):

NONE OF THE INGREDIENTS IS LISTED.

SECTION 313 (SPECIFIC TOXIC CHEMICAL LISTINGS):

NONE OF THE INGREDIENTS ARE LISTED.

TSCA (TOXIC SUBSTANCES CONTROL ACT): NOT ALL INGREDIENTS LISTED.

PROPOSITION 65 (CALIFORNIA):

CHEMICALS KNOWN TO CAUSE CANCER: NONE OF THE INGREDIENTS ARE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR FEMALES:

NONE OF THE INGREDIENTS ARE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR MALES:

NONE OF THE INGREDIENTS IS LISTED.

CHEMICALS KNOWN TO CAUSE DEVELOPMENTAL TOXICITY:

NONE OF THE INGREDIENTS IS LISTED.

CARCINOGENIC CATEGORIES:

EPA (ENVIRONMENTAL PROTECTION AGENCY):  
EPA PRODUCT REGISTRATION: 11694-109.

NONE OF THE INGREDIENTS IS LISTED.

FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT (FIFRA):  
THIS CHEMICAL IS A PESTICIDE PRODUCT REGISTERED BY THE ENVIRONMENTAL PROTECTION AGENCY AND IS SUBJECT TO CERTAIN LABELING REQUIREMENTS UNDER FEDERAL PESTICIDE LAW. THESE REQUIREMENTS DIFFER FROM THE CLASSIFICATION CRITERIA AND HAZARD INFORMATION REQUIRED FOR SAFETY DATA SHEETS, AND FOR WORKPLACE LABELS OF NON-PESTICIDE CHEMICALS.

FOLLOWING IS THE HAZARD INFORMATION AS REQUIRED ON THE PESTICIDE LABEL:

PRECAUTIONARY STATEMENTS:

CAUTION. :  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUSES MODERATE EYE IRRITATION. AVOID CONTACT WITH EYES OR CLOTHING. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, CHEWING GUM, USING TOBACCO OR GOING TO THE TOILET. REMOVE CONTAMINATED CLOTHING AND WASH CLOTHING BEFORE REUSE. PROLONGED OR FREQUENTLY REPEATED SKIN CONTACT MAY CAUSE ALLERGIC REACTIONS IN SOME INDIVIDUALS.

IF IN EYES:  
FIRST AID:  
HOLD EYE OPEN AND RINSE SLOWLY AND GENTLY WITH WATER FOR 15-20 MINUTES. REMOVE CONTACT LENSES, IF PRESENT, AFTER THE FIRST 5 MINUTES, THEN CONTINUE RINSING EYE. CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE. HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT. YOU MAY ALSO CONTACT 1-800-858-7378 FOR EMERGENCY MEDICAL TREATMENT INFORMATION.

NOTE TO PHYSICIAN:  
CONTAINS PETROLEUM DISTILLATE - VOMITING MAY CAUSE ASPIRATION PNEUMONIA.

ENVIRONMENTAL HAZARDS:  
THIS PESTICIDE IS EXTREMELY TOXIC TO AQUATIC ORGANISMS, INCLUDING FISH AND INVERTEBRATES. DO NOT APPLY DIRECTLY TO OR NEAR WATER. DRIFT AND RUN-OFF MAY BE HAZARDOUS TO FISH IN WATER ADJACENT TO TREATED AREAS. DO NOT CONTAMINATE WATER WHEN DISPOSING OF EQUIPMENT, WASHWATER, OR RINSATE. THIS PESTICIDE IS HIGHLY TOXIC TO BEES EXPOSED TO DIRECT TREATMENT ON BLOOMING CROPS OR WEEDS. DO NOT APPLY THIS PRODUCT OR ALLOW IT TO DRIFT TO BLOOMING CROPS OR WEEDS WHILE BEES ARE VISITING THE TREATMENT AREA EXCEPT AS EXPLICITLY STATED ON THIS LABEL. SEE DIRECTIONS FOR USE FOR ADDITIONAL PRECAUTIONS AND REQUIREMENTS.

PHYSICAL OR CHEMICAL HAZARDS:  
CONTENTS UNDER PRESSURE. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. DO NOT PUNCTURE OR INCINERATE CONTAINER. EXPOSURE TO TEMPERATURES ABOVE 130 DEG. F MAY CAUSE BURSTING.





THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP.

DATE OF PREPARATION / LAST REVISION: 11/24/2014

ABBREVIATIONS AND ACRONYMS:

ADR:

ACCORD EUROPEEN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD)

IMDG: INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS

DOT: US DEPARTMENT OF TRANSPORTATION

IATA: INTERNATIONAL AIR TRANSPORT ASSOCIATION

ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

EINECS: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES

ELINCS: EUROPEAN LIST OF NOTIFIED CHEMICAL SUBSTANCES

CAS: CHEMICAL ABSTRACTS SERVICE (DIVISION OF THE AMERICAN CHEMICAL SOCIETY)

NFPA: NATIONAL FIRE PROTECTION ASSOCIATION (USA)

HMIS: HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (USA)

WHMIS: WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (CANADA)

LC50: LETHAL CONCENTRATION, 50 PERCENT

LD50: LETHAL DOSE, 50 PERCENT

PRESS. GAS:

GASES UNDER PRESSURE: COMPRESSED GAS

PRESS. GAS:

GASES UNDER PRESSURE: LIQUEFIED GAS

ACUTE TOX. 4: ACUTE TOXICITY, HAZARD CATEGORY 4

SKIN SENS. 1: SENSITISATION - SKIN, HAZARD CATEGORY 1

CARC. 2: CARCINOGENICITY, HAZARD CATEGORY 2

ASP. TOX. 1: ASPIRATION HAZARD, HAZARD CATEGORY 1

AQUATIC ACUTE 1:

HAZARDOUS TO THE AQUATIC ENVIRONMENT - ACUTEHAZARD, CATEGORY 1

AQUATIC CHRONIC 1:

HAZARDOUS TO THE AQUATIC ENVIRONMENT - CHRONIC HAZARD, CATEGORY 1

SOURCES:

SDS PREPARED BY:

CHEMTEL INC.

1305 NORTH FLORIDA AVENUE

TAMPA, FLORIDA 33602-2902

USA

TOLL FREE NORTH AMERICA: 1-888-255-3924

INTL.: +01 813-248-0573

WEBSITE: WWW.CHEMTELINE.COM